

Hand Rolled Screens Measuring and Mounting Guide

Standard Sizes

Our standard sizes are measured to the outside edge of screens.

Tools You Will Need

- Level
- Tape Measure
- Pencil

Measuring (this is important)

- Please ensure measurements are in **millimetres(mm)**, and are at an accuracy to the nearest mm
- All measurements are to be recorded from the inside looking out
- **Important: The accuracy of your measurements is essential, we do not hold any responsibility for measurements supplied incorrectly, we suggest you measure, then check twice before submitting an order**

	Mount type	Width Top (mm)	Width Bottom (mm)	Left Height (mm)	Right Height (mm)	Width on Angle (Angled Roofs Only)	Checked Measurements
Screen 1							
Screen 2							
Screen 3							
Screen 4							
Screen 5							
Screen 6							
Screen 7							

Inside Mount



Guide Description: Track is mounted to the underside of support beam and screen fit inside the frames



Face Mount




Guide Description: Track is mounted on the face of support beam



Measuring Guide for Rectangle applications

- Measure the width at the top
- Measure width the Bottom
- Measure the left-hand height
- Measure the right-hand height
- Complete the measuring guide



Measuring Guide for Angled Roof applications

- Measure the width at the top
- Measure width the Bottom
- Measure the length of the angled support
- Measure the left-hand height
- Measure the right-hand height
- Complete the measuring guide

